

SYMPTOM SURVEY FORM
(Restricted to Professional Use)

PATIENT _____ DOCTOR _____ DATE _____

INSTRUCTIONS: Number the boxes which apply to you. Use (1) for MILD symptoms (occur once or twice a year), (2) for MODERATE symptoms (occur several times a year), and (3) for SEVERE symptoms (you are aware of it almost constantly).

GROUP ONE

- | | | |
|--|---|--|
| 1 <input type="checkbox"/> Acid foods upset | 8 <input type="checkbox"/> Gag easily | 15 <input type="checkbox"/> Appetite reduced |
| 2 <input type="checkbox"/> Get chilled, often | 9 <input type="checkbox"/> Unable to relax; startles easily | 16 <input type="checkbox"/> Cold sweats often |
| 3 <input type="checkbox"/> "Lump" in throat | 10 <input type="checkbox"/> Extremities cold, clammy | 17 <input type="checkbox"/> Fever easily raised |
| 4 <input type="checkbox"/> Dry mouth-eyes-nose | 11 <input type="checkbox"/> Strong light irritates | 18 <input type="checkbox"/> Neuralgia-like pains |
| 5 <input type="checkbox"/> Pulse speeds after meal | 12 <input type="checkbox"/> Urine amount reduced | 19 <input type="checkbox"/> Staring, blinks little |
| 6 <input type="checkbox"/> Keyed up — fail to calm | 13 <input type="checkbox"/> Heart pounds after retiring | 20 <input type="checkbox"/> Sour stomach frequent |
| 7 <input type="checkbox"/> Cuts heal slowly | 14 <input type="checkbox"/> "Nervous" stomach | |

GROUP TWO

- | | | |
|--|--|--|
| 21 <input type="checkbox"/> Joint stiffness after arising | 29 <input type="checkbox"/> Digestion rapid | 37 <input type="checkbox"/> "Slow starter" |
| 22 <input type="checkbox"/> Muscle-leg-toe cramps at night | 30 <input type="checkbox"/> Vomiting frequent | 38 <input type="checkbox"/> Get "chilled" infrequently |
| 23 <input type="checkbox"/> "Butterfly" stomach, cramps | 31 <input type="checkbox"/> Hoarseness frequent | 39 <input type="checkbox"/> Perspire easily |
| 24 <input type="checkbox"/> Eyes or nose watery | 32 <input type="checkbox"/> Breathing irregular | 40 <input type="checkbox"/> Circulation poor, sensitive to cold |
| 25 <input type="checkbox"/> Eyes blink often | 33 <input type="checkbox"/> Pulse slow; feels "irregular" | 41 <input type="checkbox"/> Subject to colds, asthma, bronchitis |
| 26 <input type="checkbox"/> Eyelids swollen, puffy | 34 <input type="checkbox"/> Gaggling reflex slow | |
| 27 <input type="checkbox"/> Indigestion soon after meals | 35 <input type="checkbox"/> Difficulty swallowing | |
| 28 <input type="checkbox"/> Always seems hungry; feels "lightheaded" often | 36 <input type="checkbox"/> Constipation, diarrhea alternating | |

GROUP THREE

- | | | |
|--|--|---|
| 42 <input type="checkbox"/> Eat when nervous | 49 <input type="checkbox"/> Heart palpitates if meals missed or delayed | 53 <input type="checkbox"/> Crave candy or coffee in afternoons |
| 43 <input type="checkbox"/> Excessive appetite | 50 <input type="checkbox"/> Afternoon headaches | 54 <input type="checkbox"/> Moods of depression — "blues" or melancholy |
| 44 <input type="checkbox"/> Hungry between meals | 51 <input type="checkbox"/> Overeating sweets upsets | 55 <input type="checkbox"/> Abnormal craving for sweets or snacks |
| 45 <input type="checkbox"/> Irritable before meals | 52 <input type="checkbox"/> Awaken after few hours sleep — hard to get back to sleep | |
| 46 <input type="checkbox"/> Get "shaky" if hungry | | |
| 47 <input type="checkbox"/> Fatigue, eating relieves | | |
| 48 <input type="checkbox"/> "Lightheaded" if meals delayed | | |

GROUP FOUR

- | | | |
|---|--|--|
| 56 <input type="checkbox"/> Hands and feet go to sleep easily, numbness | 63 <input type="checkbox"/> Get "drowsy" often | 68 <input type="checkbox"/> Bruise easily, "black and blue" spots |
| 57 <input type="checkbox"/> Sigh frequently, "air hunger" | 64 <input type="checkbox"/> Swollen ankles worse at night | 69 <input type="checkbox"/> Tendency to anemia |
| 58 <input type="checkbox"/> Aware of "breathing heavily" | 65 <input type="checkbox"/> Muscle cramps, worse during exercise; get "charley horses" | 70 <input type="checkbox"/> "Nose bleeds" frequent |
| 59 <input type="checkbox"/> High altitude discomfort | 66 <input type="checkbox"/> Shortness of breath on exertion | 71 <input type="checkbox"/> Noises in head, or "ringing in ears" |
| 60 <input type="checkbox"/> Opens windows in closed room | 67 <input type="checkbox"/> Dull pain in chest or radiating into left arm, worse on exertion | 72 <input type="checkbox"/> Tension under the breastbone, or feeling of "tightness", worse on exertion |
| 61 <input type="checkbox"/> Susceptible to colds and fevers | | |
| 62 <input type="checkbox"/> Afternoon "yawner" | | |

SYMPTOM SURVEY FORM - Page 2

GROUP FIVE

- 73 ☐ Dizziness
- 74 ☐ Dry skin
- 75 ☐ Burning feet
- 76 ☐ Blurred vision
- 77 ☐ Itching skin and feet
- 78 ☐ Excessive falling hair
- 79 ☐ Frequent skin rashes
- 80 ☐ Bitter, metallic taste in mouth in mornings
- 81 ☐ Bowel movements painful or difficult
- 82 ☐ Worrier, feels insecure

- 83 ☐ Feeling queasy; headache over eyes
- 84 ☐ Greasy foods upset
- 85 ☐ Stools light-colored
- 86 ☐ Skin peels on foot soles
- 87 ☐ Pain between shoulder blades
- 88 ☐ Use laxatives
- 89 ☐ Stools alternate from soft to watery
- 90 ☐ History of gallbladder attacks or gallstones

- 91 ☐ Sneezing attacks
- 92 ☐ Dreaming, nightmare type bad dreams
- 93 ☐ Bad breath (halitosis)
- 94 ☐ Milk products cause distress
- 95 ☐ Sensitive to hot weather
- 96 ☐ Burning or itching anus
- 97 ☐ Crave sweets

GROUP SIX

- 98 ☐ Loss of taste for meat
- 99 ☐ Lower bowel gas several hours after eating
- 100 ☐ Burning stomach sensations, eating relieves

- 101 ☐ Coated tongue
- 102 ☐ Pass large amounts of foul-smelling gas
- 103 ☐ Indigestion 1/2 - 1 hour after eating; may be up to 3-4 hrs.

- 104 ☐ Mucous colitis or "irritable bowel"
- 105 ☐ Gas shortly after eating
- 106 ☐ Stomach "bloating" after eating

GROUP SEVEN

(A)

- 107 ☐ Insomnia
- 108 ☐ Nervousness
- 109 ☐ Can't gain weight
- 110 ☐ Intolerance to heat
- 111 ☐ Highly emotional
- 112 ☐ Flush easily
- 113 ☐ Night sweats
- 114 ☐ Thin, moist skin
- 115 ☐ Inward trembling
- 116 ☐ Heart palpitates
- 117 ☐ Increased appetite without weight gain
- 118 ☐ Pulse fast at rest
- 119 ☐ Eyelids and face twitch
- 120 ☐ Irritable and restless
- 121 ☐ Can't work under pressure

(B)

- 122 ☐ Increase in weight
- 123 ☐ Decrease in appetite
- 124 ☐ Fatigue easily
- 125 ☐ Ringing in ears
- 126 ☐ Sleepy during day
- 127 ☐ Sensitive to cold
- 128 ☐ Dry or scaly skin
- 129 ☐ Constipation
- 130 ☐ Mental sluggishness
- 131 ☐ Hair coarse, falls out
- 132 ☐ Headaches upon arising wear off during day
- 133 ☐ Slow pulse, below 65
- 134 ☐ Frequency of urination
- 135 ☐ Impaired hearing
- 136 ☐ Reduced initiative

(C)

- 137 ☐ Failing memory
- 138 ☐ Low blood pressure
- 139 ☐ Increased sex drive
- 140 ☐ Headaches, "splitting or rending" type
- 141 ☐ Decreased sugar tolerance

(D)

- 142 ☐ Abnormal thirst
- 143 ☐ Bloating of abdomen
- 144 ☐ Weight gain around hips or waist
- 145 ☐ Sex drive reduced or lacking
- 146 ☐ Tendency to ulcers, colitis
- 147 ☐ Increased sugar tolerance
- 148 ☐ Women: menstrual disorders
- 149 ☐ Young girls: lack of menstrual function

(E)

- 150 ☐ Dizziness
- 151 ☐ Headaches
- 152 ☐ Hot flashes
- 153 ☐ Increased blood pressure
- 154 ☐ Hair growth on face or body (female)
- 155 ☐ Sugar in urine (not diabetes)
- 156 ☐ Masculine tendencies (female)

(F)

- 157 ☐ Weakness, dizziness
- 158 ☐ Chronic fatigue
- 159 ☐ Low blood pressure
- 160 ☐ Nails weak, ridged
- 161 ☐ Tendency to hives
- 162 ☐ Arthritic tendencies
- 163 ☐ Perspiration increase
- 164 ☐ Bowel disorders
- 165 ☐ Poor circulation
- 166 ☐ Swollen ankles
- 167 ☐ Crave salt
- 168 ☐ Brown spots or bronzing of skin
- 169 ☐ Allergies - tendency to asthma
- 170 ☐ Weakness after colds, influenza
- 171 ☐ Exhaustion - muscular and nervous
- 172 ☐ Respiratory disorders

SYMPTOM SURVEY FORM - Page 3

FEMALE ONLY

- | | |
|---|---|
| 173 <input type="checkbox"/> Very easily fatigued | 181 <input type="checkbox"/> Hysterectomy/ovaries removed |
| 174 <input type="checkbox"/> Premenstrual tension | 182 <input type="checkbox"/> Menopausal hot flashes |
| 175 <input type="checkbox"/> Painful menses | 183 <input type="checkbox"/> Menses scanty or missed |
| 176 <input type="checkbox"/> Depressed feelings before menstruation | 184 <input type="checkbox"/> Acne, worse at menses |
| 177 <input type="checkbox"/> Menstruation excessive and prolonged | 185 <input type="checkbox"/> Depression of long standing |
| 178 <input type="checkbox"/> Painful breasts | |
| 179 <input type="checkbox"/> Menstruate too frequently | |
| 180 <input type="checkbox"/> Vaginal discharge | |

MALE ONLY

- 186 ☐ Prostate trouble
- 187 ☐ Urination difficult or dribbling
- 188 ☐ Night urination frequent
- 189 ☐ Depression
- 190 ☐ Pain on inside of legs or heels
- 191 ☐ Feeling of incomplete bowel evacuation
- 192 ☐ Lack of energy
- 193 ☐ Migrating aches and pains
- 194 ☐ Tire too easily
- 195 ☐ Avoids activity
- 196 ☐ Leg nervousness at night
- 197 ☐ Diminished sex drive

IMPORTANT

TO THE PATIENT: Please list below the five main physical complaints you have in order of their importance:

1. _____
2. _____
3. _____
4. _____
5. _____

(TO BE COMPLETED BY DOCTOR)

Postural Blood Pressure: Recumbent _____ Standing _____ Pulse _____

Hema-Combistix Urine readings: pH _____ Albumin per cent _____ Glucose per cent _____

Occult Blood _____ pH of Saliva _____ pH of Stool specimen _____ Weight _____

Hemoglobin _____ Blood Clotting Time _____

RECOMMENDATIONS AND SUMMARY:

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____

CASE RECORD

Name _____ Date _____ Telephone _____ () _____

Address _____ City _____ State _____ Zip _____

Age _____ Weight _____ Height _____ Sex _____

Occupation: _____ Married _____

History of Illness and Treatment _____

Operations, Accidents or Injuries: _____

Present Illness or Complaints: _____

Diagnostic Summary: _____

Treatment, Recommendations, and Progress: _____

